



B - Rod/Piston Seals

Polyurethane/Nitrile



Temperature: -65/200F [-54/93C]

Pressure: 5000 PSI [345 Bar]

Ref.Number	Nominal Seal Dimensions			Ref.Number	Nominal Seal Dimensions		
	d	D	H		d	D	H
RP006014057B	6.00	14.00	5.70	RP020030080B	20.00	30.00	8.00
RP008016057B	8.00	16.00	5.70	RP020035100B	20.00	35.00	10.00
RP009019080B	9.00	19.00	8.00	RP020040120B	20.00	40.00	12.00
RP010018057B	10.00	18.00	5.70	RP022030050B	22.40	30.00	5.00
RP010020073B	10.00	20.00	7.30	RP022030057B	22.00	30.00	5.70
RP010020080B	10.00	20.00	8.00	RP022032073B	22.00	32.00	7.30
RP012020057B	12.00	20.00	5.70	RP022032080B	22.40	32.40	8.00
RP012022073B	12.00	22.00	7.30	RP022035080B	22.00	35.00	8.00
RP012022077B	12.00	22.00	7.70	RP022035100B	22.00	35.00	10.00
RP012022080B	12.50	22.50	8.00	RP022040120B	22.00	40.00	12.00
RP013020050B	13.00	20.00	5.00	RP024030050B	24.00	30.00	5.00
RP013023073B	13.00	23.00	7.30	RP024032070B	24.00	32.00	7.00
RP014022050B	14.00	22.00	5.00	RP024035057B	24.00	35.00	5.70
RP014022057B	14.00	22.00	5.70	RP025033050B	25.00	33.00	5.00
RP014024073B	14.00	24.00	7.30	RP025033057B	25.00	33.00	5.70
RP014024080B	14.00	24.00	8.00	RP025033080B	25.00	33.00	8.00
RP014030114B	14.00	30.00	11.40	RP025035070B	25.00	35.00	7.00
RP015023057B	15.00	23.00	5.70	RP025035073B	25.00	35.00	7.30
RP015025080B	15.00	25.00	8.00	RP025035080B	25.00	35.00	8.00
RP016022045B	16.00	22.20	4.50	RP025035100B	25.00	35.00	10.00
RP016024050B	16.00	24.00	5.00	RP025040100B	25.00	40.00	10.00
RP016024057B	16.00	24.00	5.70	RP025040110B	25.00	40.00	11.00
RP016026073B	16.00	26.00	7.30	RP028035050B	28.00	35.50	5.00
RP016026080B	16.00	26.00	8.00	RP028035065B	28.00	35.00	6.50
RP018024050B	18.00	24.00	5.00	RP028036057B	28.00	36.00	5.70
RP018026050B	18.00	26.00	5.00	RP028038073B	28.00	38.00	7.30
RP018026057B	18.00	26.00	5.70	RP028038080B	28.00	38.00	8.00
RP018028073B	18.00	28.00	7.30	RP028040100B	28.00	40.00	10.00
RP018028080B	18.00	28.00	8.00	RP028043100B	28.00	43.00	10.00
RP019029073B	19.00	29.00	7.30	RP028043114B	28.00	43.00	11.40
RP020026050B	20.00	26.00	5.00	RP030038057B	30.00	38.00	5.70
RP020028050B	20.00	28.00	5.00	RP030038070B	30.00	38.00	7.00
RP020028055B	20.00	28.00	5.50	RP030040060B	30.00	40.00	6.00
RP020028057B	20.00	28.00	5.70	RP030040070B	30.00	40.00	7.00
RP020028065B	20.00	28.00	6.50	RP030040075B	30.00	40.00	7.50
RP020030073B	20.00	30.00	7.30	RP030040100B	30.00	40.00	10.00

NOTE: MINIMUM LINE ORDER MAY APPLY

METRIC SIZE
ROD/PISTON SEALS



B SERIES - AU/NBR

Ref.Number	Nominal Seal Dimensions			Ref.Number	Nominal Seal Dimensions		
	d	D	H		d	D	H
RP030042090B	30.00	42.00	9.00	RP045055060B	45.00	55.00	6.00
RP030042100B	30.00	42.00	10.00	RP045055073B	45.00	55.00	7.30
RP030045080B	30.00	45.00	8.00	RP045055080B	45.00	55.00	8.00
RP030045100B	30.00	45.00	10.00	RP045055100B	45.00	55.00	10.00
RP030045114B	30.00	45.00	11.40	RP045060090B	45.00	60.00	9.00
RP030050100B	30.00	50.00	10.00	RP045060100B	45.00	60.00	10.00
RP032040057B	32.00	40.00	5.70	RP045060114B	45.00	60.00	11.40
RP032040060B	32.00	40.00	6.00	RP045065114B	45.00	65.00	11.40
RP032040080B	32.00	40.00	8.00	RP045065120B	45.00	65.00	12.00
RP032042063B	32.00	42.00	6.30	RP048060100B	48.00	60.00	10.00
RP032042069B	32.00	42.00	6.90	RP050058080B	50.00	58.00	8.00
RP032042073B	32.00	42.00	7.30	RP050060060B	50.00	60.00	6.00
RP032042100B	32.00	42.00	10.00	RP050060073B	50.00	60.00	7.30
RP032047100B	32.00	47.00	10.00	RP050060075B	50.00	60.00	7.50
RP032047114B	32.00	47.00	11.40	RP050060075B	50.00	60.00	7.50
RP032048100B	32.00	48.00	10.00	RP050060100B	50.00	60.00	10.00
RP035043057B	35.00	43.00	5.70	RP050060114B	50.00	60.00	11.40
RP035043060B	35.00	43.00	6.00	RP050062095B	50.00	62.00	9.50
RP035043065B	35.00	43.00	6.50	RP050063100B	50.00	63.00	10.00
RP035045060B	35.00	45.00	6.00	RP050065090B	50.00	65.00	9.00
RP035045080B	35.00	45.00	8.00	RP050065100B	50.00	65.00	10.00
RP035045100B	35.00	45.00	10.00	RP050065114B	50.00	65.00	11.40
RP035047100B	35.00	47.00	10.00	RP050070120B	50.00	70.00	12.00
RP035050100B	35.00	50.00	10.00	RP050070146B	50.00	70.00	14.60
RP035050114B	35.00	50.00	11.40	RP052062073B	52.00	62.00	7.30
RP035055100B	35.00	55.00	10.00	RP053063060B	53.00	63.00	6.00
RP036044057B	36.00	44.00	5.70	RP053063073B	53.00	63.00	7.30
RP036044060B	36.00	44.00	6.00	RP055065060B	55.00	65.00	6.00
RP036046073B	36.00	46.00	7.30	RP055065073B	55.00	65.00	7.30
RP036046100B	36.00	46.00	10.00	RP055065110B	55.00	65.00	11.00
RP036051114B	36.00	51.00	11.40	RP055065120B	55.00	65.00	12.00
RP038050070B	38.00	50.00	7.00	RP055070090B	55.00	70.00	9.00
RP040048057B	40.00	48.00	5.70	RP055070110B	55.00	70.00	11.00
RP040048080B	40.00	48.00	8.00	RP055075120B	55.00	75.00	12.00
RP040050060B	40.00	50.00	6.00	RP055075145B	55.00	75.00	14.50
RP040050073B	40.00	50.00	7.30	RP056066060B	56.00	66.00	6.00
RP040050100B	40.00	50.00	10.00	RP056066100B	56.00	66.00	10.00
RP040052100B	40.00	52.00	10.00	RP056071114B	56.00	71.00	11.40
RP040053080B	40.00	53.00	8.00	RP056076146B	56.00	76.00	14.60
RP040055090B	40.00	55.00	9.00	RP060068070B	60.00	68.00	7.00
RP040055100B	40.00	55.00	10.00	RP060068114B	60.00	68.00	11.40
RP040055114B	40.00	55.00	11.40	RP060068130B	60.00	68.00	13.00
RP040060120B	40.00	60.00	12.00	RP060070060B	60.00	70.00	6.00
RP042050065B	42.00	50.00	6.50	RP060070073B	60.00	70.00	7.30
RP042055070B	42.00	55.00	7.00	RP060070100B	60.00	70.00	10.00
RP045053073B	45.00	53.00	7.30	RP060070105B	60.00	70.00	10.50
RP045053080B	45.00	53.00	8.00	RP060070120B	60.00	70.00	12.00

NOTE: MINIMUM LINE ORDER MAY APPLY

B SERIES - AU/NBR

**METRIC SIZE
ROD/PISTON SEALS**

Ref.Number	Nominal Seal Dimensions			Ref.Number	Nominal Seal Dimensions		
	d	D	H		d	D	H
RP060071070B	60.00	71.00	7.00	RP080090100B	80.00	90.00	10.00
RP060072090B	60.00	72.00	9.00	RP080090114B	80.00	90.00	11.40
RP060072100B	60.00	72.00	10.00	RP080092090B	80.00	92.00	9.00
RP060075090B	60.00	75.00	9.00	RP080092095B	80.00	92.00	9.50
RP060075135B	60.00	75.00	13.50	RP080092114B	80.00	92.00	11.40
RP060080120B	60.00	80.00	12.00	RP080095114B	80.00	95.00	11.40
RP060080140B	60.00	80.00	14.00	RP080100095B	80.00	100.00	9.50
RP062070073B	62.00	70.00	7.30	RP080100120B	80.00	100.00	12.00
RP063073055B	63.00	73.00	5.50	RP080100135B	80.00	100.00	13.50
RP063075087B	63.00	75.00	8.70	RP080100150B	80.00	100.00	15.00
RP063078106B	63.00	78.00	10.60	RP081095146B	81.00	95.00	14.60
RP063078114B	63.00	78.00	11.40	RP082092100B	82.00	92.00	10.00
RP063083145B	63.00	83.00	14.50	RP085095095B	85.00	95.00	9.50
RP063083150B	63.00	83.00	15.00	RP085100090B	85.00	100.00	9.00
RP064080120B	64.00	80.00	12.00	RP085100095B	85.00	100.00	9.50
RP065073070B	65.00	73.00	7.00	RP085100120B	85.00	100.00	12.00
RP065075060B	65.00	75.00	6.00	RP085100125B	85.00	100.00	12.50
RP065075100B	65.00	75.00	10.00	RP085105120B	85.00	105.00	12.00
RP065077087B	65.00	77.00	8.70	RP085105145B	85.00	105.00	14.50
RP065080090B	65.00	80.00	9.00	RP090100060B	90.00	100.00	6.00
RP065085120B	65.00	85.00	12.00	RP090100114B	90.00	100.00	11.40
RP065085150B	65.00	85.00	15.00	RP090100120B	90.00	100.00	12.00
RP068088150B	68.00	88.00	15.00	RP090105090B	90.00	105.00	9.00
RP070080060B	70.00	80.00	6.00	RP090105114B	90.00	105.00	11.40
RP070080114B	70.00	80.00	11.40	RP090110120B	90.00	110.00	12.00
RP070080120B	70.00	80.00	12.00	RP090110145B	90.00	110.00	14.50
RP070082087B	70.00	82.00	8.70	RP095105114B	95.00	105.00	11.40
RP070082095B	70.00	82.00	9.50	RP095110114B	95.00	110.00	11.40
RP070085090B	70.00	85.00	9.00	RP095115120B	95.00	115.00	12.00
RP070085095B	70.00	85.00	9.50	RP097105130B	97.00	105.00	13.00
RP070085100B	70.00	85.00	10.00	RP098110120B	98.00	110.00	12.00
RP070085114B	70.00	85.00	11.40	RP100108065B	100.00	108.00	6.50
RP070090120B	70.00	90.00	12.00	RP100110114B	100.00	110.00	11.40
RP070090145B	70.00	90.00	14.50	RP100115090B	100.00	115.00	9.00
RP071080060B	71.00	80.00	6.00	RP100115110B	100.00	115.00	11.00
RP073080070B	73.00	80.00	7.00	RP100115146B	100.00	115.00	14.60
RP075083065B	75.00	83.00	6.50	RP100120120B	100.00	120.00	12.00
RP075085060B	75.00	85.00	6.00	RP100120145B	100.00	120.00	14.50
RP075085105B	75.00	85.00	10.50	RP100125182B	100.00	125.00	18.20
RP075085120B	75.00	85.00	12.00	RP105115100B	105.00	115.00	10.00
RP075090090B	75.00	90.00	9.00	RP105120090B	105.00	120.00	9.00
RP075090114B	75.00	90.00	11.40	RP105120114B	105.00	120.00	11.40
RP075090124B	75.00	90.00	12.40	RP105125145B	105.00	125.00	14.50
RP075095120B	75.00	95.00	12.00	RP105125150B	105.00	125.00	15.00
RP078086130B	78.00	86.00	13.00	RP108123143B	108.00	123.00	14.30
RP080088065B	80.00	88.00	6.50	RP108127159B	108.00	127.00	15.90
RP080090060B	80.00	90.00	6.00	RP110120105B	110.00	120.00	10.50

NOTE: MINIMUM LINE ORDER MAY APPLY





B SERIES - AU/NBR


Ref.Number	Nominal Seal Dimensions			Ref.Number	Nominal Seal Dimensions		
	d	D	H		d	D	H
RP110125090B	110.00	125.00	9.00	RP145165145B	145.00	165.00	14.50
RP110125114B	110.00	125.00	11.40	RP150160114B	150.00	160.00	11.40
RP110130120B	110.00	130.00	12.00	RP150165090B	150.00	165.00	9.00
RP110130145B	110.00	130.00	14.50	RP150170145B	150.00	170.00	14.50
RP110130150B	110.00	130.00	15.00	RP150170150B	150.00	170.00	15.00
RP110135182B	110.00	135.00	18.20	RP150170160B	150.00	170.00	16.00
RP112125090B	112.00	125.00	9.00	RP150180180B	150.00	180.00	18.00
RP112127090B	112.00	127.00	9.00	RP155175150B	155.00	175.00	15.00
RP115123130B	115.00	123.00	13.00	RP155180160B	155.00	180.00	16.00
RP115125114B	115.00	125.00	11.40	RP160168130B	160.00	168.00	13.00
RP115130114B	115.00	130.00	11.40	RP160175090B	160.00	175.00	9.00
RP115135120B	115.00	135.00	12.00	RP160180150B	160.00	180.00	15.00
RP118126130B	118.00	126.00	13.00	RP160185160B	160.00	185.00	16.00
RP120130114B	120.00	130.00	11.40	RP160185182B	160.00	185.00	18.20
RP120135114B	120.00	135.00	11.40	RP160190227B	160.00	190.00	22.70
RP120140120B	120.00	140.00	12.00	RP165180095B	165.00	180.00	9.50
RP120140150B	120.00	140.00	15.00	RP165190182B	165.00	190.00	18.20
RP125135114B	125.00	135.00	11.40	RP170180114B	170.00	180.00	11.40
RP125140090B	125.00	140.00	9.00	RP170190150B	170.00	190.00	15.00
RP125140114B	125.00	140.00	11.40	RP170195150B	170.00	195.00	15.00
RP125145145B	125.00	145.00	14.50	RP170195190B	170.00	195.00	19.00
RP125145150B	125.00	145.00	15.00	RP171179130B	171.00	179.00	13.00
RP125150180B	125.00	150.00	18.00	RP175185114B	175.00	185.00	11.40
RP125150182B	125.00	150.00	18.20	RP175195159B	175.00	195.00	15.90
RP130145090B	130.00	145.00	9.00	RP175200150B	175.00	200.00	15.00
RP130145145B	130.00	145.00	14.50	RP180190114B	180.00	190.00	11.40
RP130150120B	130.00	150.00	12.00	RP180200125B	180.00	200.00	12.50
RP130150130B	130.00	150.00	13.00	RP180200150B	180.00	200.00	15.00
RP130150150B	130.00	150.00	15.00	RP180205160B	180.00	205.00	16.00
RP130150160B	130.00	150.00	16.00	RP180205182B	180.00	205.00	18.20
RP131138045B	131.00	138.00	4.50	RP180210227B	180.00	210.00	22.70
RP135150090B	135.00	150.00	9.00	RP190210120B	190.00	210.00	12.00
RP135155145B	135.00	155.00	14.50	RP190215160B	190.00	215.00	16.00
RP135155150B	135.00	155.00	15.00	RP200210114B	200.00	210.00	11.40
RP135160182B	135.00	160.00	18.20	RP200220125B	200.00	220.00	12.50
RP136150090B	136.00	150.00	9.00	RP200220150B	200.00	220.00	15.00
RP140150105B	140.00	150.00	10.50	RP200220180B	200.00	220.00	18.00
RP140150114B	140.00	150.00	11.40	RP200220190B	200.00	220.00	19.00
RP140155090B	140.00	155.00	9.00	RP200225160B	200.00	225.00	16.00
RP140160120B	140.00	160.00	12.00	RP200225180B	200.00	225.00	18.00
RP140160145B	140.00	160.00	14.50	RP200225182B	200.00	225.00	18.20
RP140160150B	140.00	160.00	15.00	RP200230227B	200.00	230.00	22.70
RP140165182B	140.00	165.00	18.20	RP204220160B	204.00	220.00	16.00
RP143151130B	143.00	151.00	13.00	RP205225182B	205.00	225.00	18.20
RP145155114B	145.00	155.00	11.40	RP205235180B	205.00	235.00	18.00
RP145160090B	145.00	160.00	9.00	RP210230145B	210.00	230.00	14.50
				RP210230160B	210.00	230.00	16.00

NOTE: MINIMUM LINE ORDER MAY APPLY

B SERIES - AU/NBR

Ref.Number	Nominal Seal Dimensions			Ref.Number	Nominal Seal Dimensions		
	d	D	H		d	D	H
RP218230090B	218.00	230.00	9.00	RP240265180B	240.00	265.00	18.00
RP220240150B	220.00	240.00	15.00	RP250280227B	250.00	280.00	22.70
RP220250180B	220.00	250.00	18.00	RP280310227B	280.00	310.00	22.70
RP220250227B	220.00	250.00	22.70	RP290320225B	290.00	320.00	22.50
RP240260145B	240.00	260.00	14.50				

**METRIC SIZE
ROD/PISTON SEALS**



NOTE: MINIMUM LINE ORDER MAY APPLY

